Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK) SAFETY DATA SHEET

EDX Black

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product no.	:	1398366
Product name	:	EDX Black

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Printing inks, coatings, toners, and related materials

Uses advised against: Not Available

1.3 Details of the supplier of the safety data sheet

INX Digital Czech a.s. Do Certous 2621/13 - Hall I2 193 00 Prague 20 - Horni Pocernice

Czech Republic e-mail address of person responsible for this SDS	:	MSDS@inxintl.com
1.4 Emergency telephone number		
24 Hour Emergency Phone	:	+420 224 919 293 (Czech Toxicology info center)
National advisory body/Poison Cent	er	
Telephone number	:	Not available.
Hours of operation	:	Not available.
Information limitations	:	Not available.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition

: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319 Repr. 1B, H360F (Fertility) Repr. 1B, H360D (Unborn child) STOT SE 3, H335 Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.				
Ingredients of unknown toxicity	:	Percentage of the mixture consisting of ingredient(s) of unknown		
		toxicity: 2.1 %		
Ingredients of unknown ecotoxicity	:	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: $70.1~\%$		

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification	:	Xi, R36/37/38
Physical/chemical hazards Human health hazards Environmental hazards	:	Not applicable. Irritating to eyes, respiratory system and skin. Not applicable.
See Section 16 for the full text of the See Section 11 for more detailed info	-	rases or H statements declared above.

2.2 Label elements

Hazard pictograms	
Signal word Hazard statements	 Danger Causes serious eye irritation. Causes skin irritation. May damage fertility. May damage the unborn child. May cause respiratory irritation. Harmful to aquatic life with long lasting effects.
Precautionary statements	
General	: Read label before use.
Prevention	: Obtain special instructions before use. Wear protective gloves. Wear
Response	 eye or face protection. Avoid release to the environment. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.
Storage	: Store locked up.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazard symbol or symbols	•
Indication of danger	: Irritant
Risk phrases	: R36/37/38 - Irritating to eyes, respiratory system and skin.
Safety phrases	: S2 - Keep out of the reach of children. S46 - If swallowed, seek medical advice immediately and show this container or label.
Hazardous ingredients	: Propane, oxybis[methoxy- bis(2-(2-methoxy)ethyl) ether
Version: 1.23 Date of	fissue/Date of revision: 08.05.2015 Date of previous issue: 01.05.2015

Supplemental label elements	:	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Restricted to professional users.
Special packaging requirements		
Containers to be fitted with child-resistant fastenings	:	Yes, applicable.
Tactile warning of danger	:	Yes, applicable.
2.3 Other hazards		
Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII	:	Not applicable.
Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	Not applicable.
Other hazards which do not result in classification	:	None known.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Mixture

:

:

		%	Classification		
Product/ingredient name	Identifiers		67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Propane, oxybis[methoxy-	EC: CAS : 111109- 77-4 Index:	>=35 - <50	Xi; R36/37/38	Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319	[1]
bis(2-ethoxyethyl) ether	EC:203-963-7 CAS : 112-36-7 Index:	>=25 - <35	Xi; R36	Eye Dam./Irrit. 2, H319	[1]
?-butyrolactone	EC:202-509-5 CAS : 96-48-0 Index:	>=15 - <20	Xn; R22 Xi; R36	Acute Tox. 4, H302 (oral) Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319	[1][2]

Version: 1.23

Date of issue/Date of revision: 08.05.2015

Date of previous issue: 01.05.2015

bis(2-(2- methoxyethoxy)ethyl) ether	EC:205-594-7 CAS : 143-24-8 Index:	>=3 - <5	Not classified.	Eye Dam./Irrit. 2, H319 Repr. 1B, H360F Repr. 1B, H360D	[1]
Carbon black	EC:215-609-9 CAS : 1333-86-4 Index:	>=3 - <5	Not classified.	Not classified. ,	[2]
Polymer Dispersant	-	>=1 - <2	Not classified.	Eye Dam./Irrit. 2, H319	[1]
Amines, coco alkyl, ethoxylated	EC:500-152-2 Index:	>=0.2 - <1	Xi; R36 R20/21/22	Acute Tox. 4, H302 (oral) Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	[1]

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

See Section 16 for the full text of the R phrases or H statements declared above.

There are no additional ingredients present which, within the current know applicable, are classified as hazardous to health or the environment and

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occur personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting
Version: 1.23	Date of issue/Date of revision: 08.05.2015 Date of previous issue: 01.05.2015

		unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion Over-exposure signs/symptoms	: : :	Causes serious eye irritation. May cause respiratory irritation. Causes skin irritation. Irritating to mouth, throat and stomach.
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	:	Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	:	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	:	Treat symptomatically. Contact poison treatment specialist
Specific treatments	:	immediately if large quantities have been ingested or inhaled. No specific treatment.

Version: 1	1.23	Date of issue/Date of revision:	08.05.2015	Date of previous issue:	01.05.2015
------------	------	---------------------------------	------------	-------------------------	------------

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire. None known.	
5.2 Special hazards arising from the	subs	tance or mixture	
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.	
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide	
5.3 Advice for firefighters			
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contai operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves basic level of protection for chemical incidents.	
Additional information	:	Not available.	
SECTION 6: Accidental release measures			

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note o materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

6.3 Methods and materials for containment and cleaning up

Small spill		: Stop leak	if without risl	k. Move containers from spill area. Dilute
		with water	r and mop up	if water-soluble. Alternatively, or if water-
Version:	1.23	Date of issue/Date of revision:	08.05.2015	Date of previous issue: 01.05.2015

		insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The for any available use-specific information provided in the Exposure Scena

7.1 Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations Industrial sector specific	Not availa Not availa			
Version: 1.23	Date of issue/Date of revision:	08.05.2015	Date of previous issue:	01.05.2015

solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases. **8.1 Control parameters**

Product/ingredient name	Exposure limit values					
?-butyrolactone	#################### (2003-06-15) Notes: Class 3 - dangerous					
2	Ceiling 2 mg/m3 Form: vapor and/or gases					
	MAK-Werte Liste (2010-07-01) Notes: See Section IIb					
	NIOSH REL (2005-09-30)					
	Tyoterveyslaitos (2011-12-18) Notes: temporary					
	Exposure limit 15 min 70 mg/m3, 250 ppm					
	Tyoterveyslaitos (2011-12-18) Notes: temporary					
	Exposure limit 8 h 14 mg/m3, 50 ppm					
	Arbejdstilsynet (1996-12-01) Notes: This substance is considered as					
	organic solvent					
	Time Weighted Average (TWA), 50 ppm					
Carbon black	EH40/2005 WELs (1997-01-01) Short Term Exposure Limit 7 mg/m3 EH40/2005 WELs (1997-01-01) Time Weighted Average (TWA) 3.5 mg/m3					
Recommended monitoring procedures	 If this product contains ingredients with exposure limits, personal workplace atmosphere or biological monitoring may be required t determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, su as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous 					
DNEL/DMEL Summary	: Not available.					
PNEC Summary	: Not available.					
2 Exposure controls						
Appropriate engineering controls	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process e controls to keep worker exposure to airborne contaminants below any recom					

Individual protection measures

Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a r exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check duri protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be involved and should be approved by a specialist before handling this prod
Respiratory protection	:	Use a properly fitted, air-purifying or air-fed respirator complying with is necessary. Respirator selection must be based on known or anticipated exposure levels of the selected respirator.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u>			
Physical state	:	liquid	
Color	:	Black.	
Odor	:	Not available.	
Odor threshold	:	Not available.	
pH	:	Not available.	
Melting point/freezing point	:	Not available.	
Initial boiling point and boiling	:	Not available.	
range Flash point	:	69.4 °C	
Version: 1.23 Date of issu	ie/Date	of revision: 08.05.2015	Date of pr

Date of previous issue: 01.05.2015

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 EDX Black Page: 10/16

Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapor pressure Vapor density Relative density	:	Not available. Not available. Lower: Not available. Upper: Not available. Not available. Not available. 1
Solubility(ies) Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature Viscosity Explosive properties Oxidizing properties	:	Not available. Not available. Not available. Dynamic: Not available. Kinematic: Not available. Not available. Not available.
9.2 Other information Volatile. VOC % Coating VOC	: : :	85.8 %(m) Weight % 87.42 %(V) Volume % 85.8 %(m) Weight % 87.42 %(V) Volume % 7.17 lb/gal 860 g/l

SECTION 10: Stability and reactivity

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	No specific data.
10.5 Incompatible materials	:	No specific data.
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Dipropylene glycol dimethyl	ether			
Diethylene Glycol Diethyl Eth	her			

	LD50 Oral	Rat	4,970 mg/kg	-
Butanolide, 4-				
	LD50 Oral	Rat	1,540 mg/kg	-
Tetraethylene Glycol Dimet	hyl Ether			
	LD50 Oral	Rat	5,140 mg/kg	-
Carbon Black				
	LD50 Oral	Rat	15,400 mg/kg	-
Polymer Dispersant				
Additive, Proprietary 1				
	LD50 Oral	Rat	750 mg/kg	-
Conclusion/Summary	• Not	available		

Conclusion/Summary

: Not available.

Acute toxicity estimates

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
bis(2-ethoxyethyl) ether	Eyes -	Rabbit	-		-
	Moderate				
	irritant				
?-butyrolactone	Skin - Severe	Rabbit	-		-
	irritant				
bis(2-(2-	Eyes - Mild	Rabbit	-		-
methoxyethoxy)ethyl) ether	irritant				
Conclusion/Summary					
Skin		t available.			
Eyes		t available.			
Respiratory	: Not	t available.			
Sensitization					
Conclusion/Summary					
Skin	: Not	t available.			
Respiratory	: Not	t available.			
<u>Mutagenicity</u>					
Conclusion/Summary	: Not	t available.			
Carcinogenicity					
Conclusion/Summary	: Not	t available.			
<u>Reproductive toxicity</u>					
Conclusion/Summary	: Not	t available.			
Teratogenicity					
Conclusion/Summary	: Not	t available.			
Specific target organ toxicity		<u>e)</u>			
Product/ingredient name	Category		Route of exposur		gans
Version:1.23Date of issue/Date of revision:08.05.2015Date of previous issue:01.05.2015				01.05.2015	

Propane, oxybis[methoxy-		
	4 . J	
Specific target organ toxicity (repo Not available.	eateu	exposure)
Aspiration hazard		
Not available.		
Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	Causes serious eye irritation.
Inhalation	:	May cause respiratory irritation.
Skin contact	:	Causes skin irritation.
Ingestion	:	Irritating to mouth, throat and stomach.
Symptoms related to the physical, c	chemi	cal and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following:
		pain or irritation
		watering
Inhalation	:	redness Adverse symptoms may include the following:
Innalation	•	respiratory tract irritation
		coughing
		reduced fetal weight
		increase in fetal deaths
		skeletal malformations
Skin contact	:	Adverse symptoms may include the following:
		irritation redness
		reduced fetal weight
		increase in fetal deaths
		skeletal malformations
Ingestion	:	Adverse symptoms may include the following:
		reduced fetal weight
		increase in fetal deaths
		skeletal malformations
Delayed and immediate effects and a	also c	hronic effects from short and long term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Detential abrania health offects		

Potential chronic health effects

Conclusion/S	Summary	: Not availa	able.		
Version:	1.23	Date of issue/Date of revision:	08.05.2015	Date of previous issue:	01.05.2015

General	: No known signific	ant effects or critical hazards.
Carcinogenicity	: No known signific	ant effects or critical hazards.
Mutagenicity	: No known signific	ant effects or critical hazards.
Teratogenicity	: May damage the u	nborn child.
Developmental effects	: No known signific	ant effects or critical hazards.
Fertility effects	: May damage fertil	ity.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result		Species	Exposure	
bis(2-ethoxyethyl) ether	-				
		50 10,000,000	Fish - Bleak	96 h	
	µg/l Marin				
Conclusion/Summary	:	Not available.			
12.2 Persistence and degradab	oility				
Conclusion/Summary	:	Not available.			
-					
12.2 Disassumulativa natantia	1				
12.3 Bioaccumulative potentia 12.4 Mobility in soil	1				
Soil/water partition coefficien	nt :	Not available.			
(KOC)					
Mobility	:	Not available.			
12.5 Results of PBT and vPvB a	assessment				
РВТ	:	P: Not availab			
		B: Not availab	le.		
		T: Not availab	le.		
vPvB	:	vP: Not availa	bla		
VI VD	•	vB: Not availa			
12.6 Other adverse effects	:	No known sig	nificant effects or criti	cal hazards.	

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The for any available use-specific information provided in the Exposure Scena

13.1 Waste treatment methods

Product

Methods of disposal
Version::The generation of waste should be avoided or minimized wherever
Date of issue/Date of revision:08.05.2015Date of previous issue:01.05.2015

Hazardous waste :	:	possible. Disposal of this product, solutions and any by-products should at all time protection and waste disposal legislation and any regional local authorit Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compli jurisdiction. The classification of the product may meet the criteria for a hazardous waste.
Packaging		
Methods of disposal :		The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions :		This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

Regulatory information	Proper shipping name	UN - Number	Hazard classification	Packing group	Additional information
ADN	Not Restricted.			-	
ADR	Not Restricted.			-	
IATA	Not Restricted.			-	
IMDG	Not Restricted.			-	
DOT (U.S.A.)	Not Restricted.			-	
(Pictograms)					
Mexico Classification	Not Restricted.			-	
TDG Class	Not Restricted.			-	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization Annex XIV: None of the components are listed.

<u>Substances of very high concern:</u> <u>Other EU regulations</u>

Europe inventory Integrated pollution prevention and control list (IPPC) - Air	:	Not determined.Not determined. Not listed
Integrated pollution prevention and control list (IPPC) - Water	:	Not listed

 Aerosol dispensers
 : Not applicable.

 Version:
 1.23
 Date of issue/Date of revision:
 08.05.2015
 Date of previous issue:
 01.05.2015

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 EDX Black Page: 15/16

Seveso II Directive

This product is not controlled under the Seveso II Directive.

National regulations References	:	GHS classifications, symbols, and statements valid; legacy characterisations for conditional use only
International regulations		
Chemical Weapons Convention List Schedule I Chemicals	:	Not listed
Chemical Weapons Convention List Schedule II Chemicals	:	Not listed
Chemical Weapons Convention List Schedule III Chemicals	:	Not listed
15.2 Chemical Safety Assessment	:	This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms	:	ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level
		DMEL = Derived Minimal Effect Level
		EUH statement = CLP-specific Hazard statement
		PBT = Persistent, Bioaccumulative and Toxic
		PNEC = Predicted No Effect Concentration
		RRN = REACH Registration Number
		vPvB = Very Persistent and Very Bioaccumulative
Key literature references and sources for data	:	GHS classifications, symbols, and statements valid; legacy characterisations for conditional use only

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Corr./Irrit. 2, H315	Calculation method
Eye Dam./Irrit. 2, H319	Calculation method
Repr. 1B, H360F (Fertility)	Calculation method
Repr. 1B, H360D (Unborn child)	Calculation method
STOT SE 3, H335	Calculation method
Aquatic Chronic 3, H412	Calculation method

Full text of abbreviated H statements

H302 (oral)	Harmful if swallowed.
H312 (dermal)	Harmful in contact with skin.
H332 (inhalation)	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with
	long lasting effects.

:

		H412	Harmful to aquatic life with long
			lasting effects.
		H318	Causes serious eye damage.
		H319	Causes serious eye irritation.
		H360FD (Fertility, Unborn	May damage fertility. May
		child)	damage the unborn child.
		H315	Causes skin irritation.
		H335	May cause respiratory irritation.
ns	:	Acute Tox. 4, H302	ACUTE TOXICITY (oral) -
			Category 4
		Acute Tox. 4, H312	ACUTE TOXICITY (dermal) -
			Category 4
		Acute Tox. 4, H332	ACUTE TOXICITY (inhalation)
			- Category 4
		Aquatic Acute 1, H400	AQUATIC HAZARD (ACUTE)
		-	- Category 1
		Aquatic Chronic 1, H410	AQUATIC HAZARD (LONG-
		-	TERM) - Category 1
		Aquatic Chronic 3, H412	AQUATIC HAZARD (LONG-
		_	TERM) - Category 3
		Eye Dam./Irrit. 1, H318	SERIOUS EYE DAMAGE/
			EYE IRRITATION - Category 1
		Eye Dam./Irrit. 2, H319	SERIOUS EYE DAMAGE/
			EYE IRRITATION - Category 2
		Repr. 1B, H360FD (Fertility,	TOXIC TO REPRODUCTION
		Unborn child)	(Fertility, Unborn child) -
			Category 1B
		Skin Corr./Irrit. 2, H315	SKIN
			CORROSION/IRRITATION -
			Category 2
		STOT SE 3, H335	SPECIFIC TARGET ORGAN
			TOXICITY (SINGLE
			EXPOSURE) - Category 3
R phrases	:	 R22- Harmful if swallowed. R20/21/22- Harmful by inhalation, in contact with skin and if swallowed. R36- Irritating to eyes. R36/37/38- Irritating to eyes, respiratory system and skin. 	
			matory system and skin.
ns	:	Xn - Harmful	

Full text of classifications [CLP/GHS]

		swallowed. R36- Irritating to eyes. R36/37/38- Irritating to eyes, respiratory
Full text of classifications [DSD/DPD]	:	Xn - Harmful Xi - Irritant
Date of printing	:	04.06.2015
Date of issue/ Date of revision	:	08.05.2015
Date of previous issue	:	01.05.2015
Version	:	1.23

Notice to reader

Full text of abbreviated

To the best of our knowledge, the information contained herein is accurate its subsidiaries, assumes any liability whatsoever for the accuracy or co determination of suitability of any material is the sole responsibility o should be used with caution. Although certain hazards are described herei that exist.