A CANON COMPANY

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

UVgel 460 ink Magenta

of the mixture

Other means of identification

1070104725 **Article Number**

Registration number

None. Synonyms

1965C039AA **Product code** Issue date 21-March-2019

Version number 13

27-September-2019 **Revision date** Supersedes date 21-June-2019

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing ink.

Uses advised against Other uses not recommended.

1.3. Details of the supplier of the safety data sheet

Océ-Technologies B.V. Supplier **Address** St. Urbanusweg 43 City 5914 CA Venlo The Netherlands Country +31 77 359 2222 **Telephone Number** sds-hq@oce.com E-mail address

1.4. Emergency telephone number

National Poison 111 (Available 24 hours a day.)

Information Center

+44 (0) 1235 239 670 For chemical emergencies only. (Available 24 hours a **NCEC Service**

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation. Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitisation H317 - May cause an allergic skin Category 1

reaction.

Reproductive toxicity Category 1B H360 - May damage fertility or the

unborn child.

Environmental hazards

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with

long-term aquatic hazard long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: (5-Ethyl-1,3-dioxan-5-yl)methyl acrylate, 2-Propenoic acid, 1,6-hexanediyl ester, polymer with

2-aminoethanol, Ethyl 4-dimethylaminobenzoate, PROPOXYLATED NEOPENTYL GLYCOL

DIACRYLATE

1965C039AA Version #: 1.3 Revision date: 27-September-2019 Issue date: 21-March-2019

Hazard pictograms



Signal word Danger

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Storage Not available.

Disposal Not available.

Supplemental label information None.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		% C	AS-No. / EC No.	REACH Registration No.	Index No.	Notes
(5-Ethyl-1,3-dioxan-5-yl)me acrylate	thyl 25	- < 50	66492-51-1 266-380-7	01-2119976303-36-XXXX	-	
Classification: S	kin Irrit. 2;H31	5, Skin Se	ns. 1B;H317, Aqua	atic Chronic 2;H411		
PROPOXYLATED NEOPEI GLYCOL DIACRYLATE	NTYL 10	- < 30	84170-74-1 -	01-2119970213-43-xxxx	-	
Classification: S	kin Sens. 1B;H	1317, Aqu	atic Chronic 2;H41	1		
2-Propenoic acid, 1,6-hexar ester, polymer with 2-amino		- < 5	67906-98-3 -	-	-	
Classification: S	skin Irrit. 2;H31	5, Skin Se	ns. 1;H317, Eye In	rit. 2;H319		
Ethyl 4-dimethylaminobenzo	oate 1	- < 5	10287-53-3 233-634-3	01-2120766020-67-xxxx	-	
Classification:	Repr. 1B;H360,	Aquatic C	hronic 2;H411			
Alcohol	1	- <2.5	Proprietary	-	-	
Classification: E	ye Irrit. 2;H319)				
DI(TRIMETHYLOLPROPAN TETRAACRYLATE	NE) 1	- <2.5	94108-97-1 302-434-9	01-2119977121-41-XXXX	-	
Classification: S	kin Sens. 1;H3	17, Eye Ir	rit. 2;H319, Aquati	c Chronic 2;H411		
Trimethylolpropane triacryla	ite 1	- <2.5	15625-89-5 239-701-3	-	607-111-00-9	
	skin Irrit. 2;H319 Chronic 1;H410		ns. 1;H317, Eye In	rit. 2;H319, Aquatic Acute 1;	H400, Aquatic	
HEXAMETHYLENE DIACR (HDDA)	YLATE	< 1	13048-33-4 235-921-9	-	607-109-00-8	
	Skin Irrit. 2;H319 Chronic 1;H410	5, Skin Se	ns. 1;H317, Eye In	rit. 2;H319, Aquatic Acute 1;	H400, Aquatic	
Phenylbis(2,4,6-trimethylbe phosphine-oxide	nzoyl)	< 1	162881-26-7 423-340-5	01-2119489401-38-xxxx	015-189-00-5	
Classification: S	kin Sens. 1;H3	17, Aquat	ic Chronic 4;H413			

Material name: UVgel 460 ink Magenta

Skill Sells. 1,H317, Aqualic Chronic 4,H413

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and delaved

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

No unusual fire or explosion hazards noted. General fire hazards

5.1. Extinguishing media

Suitable extinguishing

media

media

Unsuitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Material name: UVgel 460 ink Magenta

SDS LIK

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene

practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see

Section 10 of the SDS).

7.3. Specific end use(s) Professional and Industrial

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Wo	rke	rs
----	-----	----

Components	Value	Assessment factor	Notes
DI(TRIMETHYLOLPROPANE) TETRAACRY	LATE (CAS 94108-97-1)		
Long-term, Systemic, Dermal	1.67 mg/kg bw/day	300	Repeated dose toxicity
Long-term, Systemic, Inhalation	5.88 mg/m3	75	Repeated dose toxicity

Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor Notes
DI(TRIMETHYLOLPROPANE) TETRAA	CRYLATE (CAS 94108-97-1	1)
Freshwater	0.001 mg/l	1000
Marine water	0 mg/l	10000
Sediment (freshwater)	0.484 mg/kg	
Sediment (marine water)	0.048 mg/kg	
Soil	0.096 mg/kg	
STP	100 mg/l	10

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation. See operator manual or safety data sheet of the printer.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Ansell Microflex ® 93-260 (240 minutes)

- Other No special protective equipment required.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Not required during normal

intended use of this product.

Thermal hazards Not normally needed.

Observe any medical surveillance requirements. Always observe good personal hygiene Hygiene measures

measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

Environmental exposure

controls

Contain spills and prevent releases and observe national regulations on emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Liquid. Form

1965C039AA Version #: 1.3 Revision date: 27-September-2019 Issue date: 21-March-2019

Colour Magenta.

Odour Very faint.

Odour threshold Not available.
pH Not applicable

Melting point/freezing point Not available / -39.47 °C (-39.04 °F) estimated

Initial boiling point and boiling

range

Not available.

Flash point 139.0 °C (282.2 °F)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not applicable
Explosive limit - upper Not applicable

(%)

Vapour pressure< 70 mbar at 70 C</th>Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 300 °C (572 °F) **Decomposition temperature** Not available.

Viscosity 190 - 250 mPa·s at 17 C 14.5 mPa·s at 70 C

Explosive propertiesNot explosive. **Oxidising properties**Not oxidising.

9.2. Other information

Density 1.07 g/cm3 at 70 C

1.11 g/cm3 at 25 C

VOC 0 %

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion However, ingestion is not likely to be a primary route of occupational exposure. Not available.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components Species Test Results

(5-Ethyl-1,3-dioxan-5-yl)methyl acrylate (CAS 66492-51-1)

<u>Acute</u>

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat > 2000 mg/kg

DI(TRIMETHYLOLPROPANE) TETRAACRYLATE (CAS 94108-97-1)

<u>Acute</u>

Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Inhalation

Vapour

LC50 Rat > 0.41 mg/l, 7 Hours Read across

Oral

LD50 Rat > 5000 mg/kg

Ethyl 4-dimethylaminobenzoate (CAS 10287-53-3)

Acute

Dermal

Solid

LD50 Rabbit > 2000 mg/kg bw/day

Oral

Solid

LD50 Rat > 2000 mg/kg bw/day

HEXAMETHYLENE DIACRYLATE (HDDA) (CAS 13048-33-4)

Acute

Dermal

LD50 Rabbit 3650 mg/kg, 24 Hours

Oral

LD50 Rat > 5000 mg/kg

Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide (CAS 162881-26-7)

<u>Acute</u>

Dermal

LD50 Rat > 2000 ml/kg

Oral

LD50 Rat > 2000 mg/kg

PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE (CAS 84170-74-1)

Acute

Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Oral

LD50 Rat > 5000 mg/kg

Trimethylolpropane triacrylate (CAS 15625-89-5)

Acute

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Causes skin irritation.

Irritation Corrosion - Skin

HEXAMETHYLENE DIACRYLATE (HDDA) OECD 404

Result: irritating Species: Rabbit

(5-Ethyl-1,3-dioxan-5-yl)methyl acrylate OECD 404

Result: irritating Species: Rat

Trimethylolpropane triacrylate

OECD 404 Result: irritating Species: Rat

Material name: UVgel 460 ink Magenta

Irritation Corrosion - Skin

PROPOXYLATED NEOPENTYL GLYCOL **OECD 404**

DIACRYLATE Result: Not irritating

DI(TRIMETHYLOLPROPANE) TETRAACRYLATE **OECD 404**

Result: Not irritating Species: Rabbit

Ethyl 4-dimethylaminobenzoate

OECD 404 Result: Not irritating

Species: Rabbit **OECD 404**

Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide

Result: Not irritating Species: Rabbit

Serious eye damage/eye irritation

Eve

Causes serious eye irritation.

EU B,5 (5-Ethyl-1,3-dioxan-5-yl)methyl acrylate

Result: Not irritating

Species: Rabbit HEXAMETHYLENE DIACRYLATE (HDDA) **OECD 405**

Result: irritating Species: Rabbit

PROPOXYLATED NEOPENTYL GLYCOL **OECD 405**

Result: Not irritating DIACRYLATE

DI(TRIMETHYLOLPROPANE) TETRAACRYLATE **OECD 405**

> Result: Not irritating Species: Rabbit **OECD 405**

Ethyl 4-dimethylaminobenzoate

Result: Not irritating Species: Rabbit

OECD 405 Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide

> Result: Not irritating Species: Rabbit Result: irritating

Trimethylolpropane triacrylate

Not a respiratory sensitizer.

Skin sensitisation

Respiratory sensitisation

May cause an allergic skin reaction.

Skin sensitisation

Ethyl 4-dimethylaminobenzoate **OECD 406**

> Result: Not sensitizing Species: Guinea pig

Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide

OECD 406 Result: sensitising

Species: Guinea pig PROPOXYLATED NEOPENTYL GLYCOL **OECD 406**

DIACRYLATE

Result: sensitising Species: Guinea pig OECD 406, GMPT

HEXAMETHYLENE DIACRYLATE (HDDA)

Result: sensitising Species: Guinea pig

DI(TRIMETHYLOLPROPANE) TETRAACRYLATE

OECD 429 Result: positive Species: Mouse **OECD 429**

(5-Ethyl-1,3-dioxan-5-yl)methyl acrylate

Result: sensitising Severity: EC3=2,8%

PROPOXYLATED NEOPENTYL GLYCOL

DIACRYLATE

OECD 429 Result: sensitising Severity: EC3=4,6% OECD 429. LLNA

HEXAMETHYLENE DIACRYLATE (HDDA)

Result: sensitising Species: Mouse Severity: EC3 = 0,9% Result: sensitising Species: Human

Trimethylolpropane triacrylate

Result: sensitising Species: Human

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Germ cell mutagenicity: Ames test

(5-Ethyl-1,3-dioxan-5-yl)methyl acrylate **OECD 471**

Result: Negative.

Germ cell mutagenicity: Ames test

Ethyl 4-dimethylaminobenzoate **OECD 471**

Result: Negative. Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide **OECD 471**

Result: Negative. **OECD 471**

PROPOXYLATED NEOPENTYL GLYCOL

HEXAMETHYLENE DIACRYLATE (HDDA)

DIACRYLATE

DI(TRIMETHYLOLPROPANE) TETRAACRYLATE

OECD 471 Result: positive

Result: Negative Trimethylolpropane triacrylate OECD 471. In vitro

Germ cell mutagenicity: Chromosome abberation

Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide

Ethyl 4-dimethylaminobenzoate OECD 471, without metabolic activation.

Result: Negative. **OECD 473**

Result: Negative

Result: Negative.

OECD 471, In vitro

Result: Negative. Trimethylolpropane triacrylate OECD 473, In vitro

Ethyl 4-dimethylaminobenzoate OECD 473, with metabolic activation

Result: positive

Germ cell mutagenicity: Micronucleus

(5-Ethyl-1,3-dioxan-5-yl)methyl acrylate

DI(TRIMETHYLOLPROPANE) TETRAACRYLATE **OECD 474**

Ethyl 4-dimethylaminobenzoate **OECD 474** Result: Negative.

PROPOXYLATED NEOPENTYL GLYCOL

DIACRYLATE

Trimethylolpropane triacrylate

HEXAMETHYLENE DIACRYLATE (HDDA)

Mutagenicity

PROPOXYLATED NEOPENTYL GLYCOL

DIACRYLATE

(5-Ethyl-1,3-dioxan-5-yl)methyl acrylate

HEXAMETHYLENE DIACRYLATE (HDDA)

Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide

Trimethylolpropane triacrylate

Result: positive

OECD 474

Result: Negative.

Result: Negative.

Species: Mouse

OECD 474, (similar product)

Result: Negative. OECD 474, In vivo Result: Negative OECD 487, In vitro

Result: Negative

OECD 467

Result: Negative. **OECD 476**

Result: Negative. **OECD 476** Result: Negative.

OECD 476 Result: Negative.

OECD 476, In vitro Result: positive

OECD 489, In vivo Result: Negative

Carcinogenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Reproductive toxicity May damage fertility or the unborn child.

Developmental effects

(5-Ethyl-1,3-dioxan-5-yl)methyl acrylate **OECD 414**

> Result: Negative. Species: Rat

Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide **OECD 414**

Result: Negative. Species: Rat **OECD 422**

Trimethylolpropane triacrylate

Result: Negative Species: Rat

Fertility effects - Males

Ethyl 4-dimethylaminobenzoate **OECD 421**

Result: Adverse effects for fertility

Species: Rat Organ: Testes

Fertility effects - Males and females

PROPOXYLATED NEOPENTYL GLYCOL **OECD 421 DIACRYLATE** Result: Negative.

Material name: UVgel 460 ink Magenta 1965C039AA Version #: 1.3 Revision date: 27-September-2019 Issue date: 21-March-2019 Reproductivity

PROPOXYLATED NEOPENTYL GLYCOL

DIACRYLATE

Result: Negative. Trimethylolpropane triacrylate **OECD 422**

Result: Negative

(5-Ethyl-1,3-dioxan-5-yl)methyl acrylate

Species: Rat **OECD 422**

OECD 421

HEXAMETHYLENE DIACRYLATE (HDDA)

Result: Negative. OECD 422

Result: Negative. Species: Rat

DI(TRIMETHYLOLPROPANE) TETRAACRYLATE

OECD 422, Read across Result: Negative.

Species: Rat

Specific target organ toxicity -Not classified.

single exposure

Specific target organ toxicity -

Not classified.

repeated exposure

PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE

OECD 407 Result: Negative. Species: Rat

HEXAMETHYLENE DIACRYLATE (HDDA)

OECD 422 Result: Negative. Species: Rat

Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide

Result: Negative. Species: Rat Test Duration: 90 d

Aspiration hazard

Mixture versus substance

Not an aspiration hazard. No information available.

information

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity	Toxic to aquatic life with long lasting effects.

Components	Species	Test Results
------------	---------	--------------

(5-Ethyl-1,3-dioxan-5-yl)methyl acrylate (CAS 66492-51-1)

Aquatic

Acute

EC50 34 mg/l, 72 h Algae Algae Crustacea LC50 Daphnia 20 mg/l, 48 h Fish LC50 Fish 4 mg/l, 96 h

DI(TRIMETHYLOLPROPANE) TETRAACRYLATE (CAS 94108-97-1)

Aquatic

Acute

Algae EC50 Algae 12 mg/l, 72 h Crustacea EC50 Daphnia > 10 mg/l, 48 h Fish EC50 Fish 1.2 mg/l, 96 h

Ethyl 4-dimethylaminobenzoate (CAS 10287-53-3)

Aquatic

Acute

Algae EC50 Algae 2.8 mg/l, 72 h Crustacea LC50 Daphnia 31.8 mg/l, 48 h Fish LC50 Fish 1.9 mg/l, 96 h

HEXAMETHYLENE DIACRYLATE (HDDA) (CAS 13048-33-4)

Aquatic

Acute

Algae EC50 Algae 1.5 mg/l, 72 h Crustacea LC50 Daphnia 2.6 mg/l, 48 h Fish LC50 Fish 0.38 mg/l, 96 h

Material name: UVgel 460 ink Magenta

1965C039AA Version #: 1.3 Revision date: 27-September-2019 Issue date: 21-March-2019

Test Results Components **Species** Chronic NOEC Algae 0.5 mg/l, 21 d Algae Crustacea **NOEC** Daphnia 0.14 mg/l, 21 d Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide (CAS 162881-26-7) Aquatic Acute EC50 Algae 0.26 mg/l, 72 h Supersaturated Algae suspension Crustacea LC50 Daphnia 1.1 mg/l, 48 h Supersaturated suspension Fish LC50 Fish > 90 µg/l, 96 h Supersaturated suspension Chronic Crustacea **NOEC** Crustacea 8.1 µg/l, 21 d PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE (CAS 84170-74-1) Aquatic

Acute

Algae EC50 Algae 3.4 mg/l, 72 h Crustacea LC50 Daphnia 37 mg/l, 48 h Fish LC50 Fish 2.7 mg/l, 96 h

Trimethylolpropane triacrylate (CAS 15625-89-5)

Aquatic

Acute

EC50 Algae 4.9 - 14.5 mg/l, 96 h Algae 19.9 mg/l, 48 h Crustacea EC50 Invertebrates (Invertebrates) Fish LC50 Fish 0.87 mg/l, 96 h

12.2. Persistence and degradability

Biodegradability

Percent Degradation (Aerobic Biodegradation)

OECD 301B (5-Ethyl-1,3-dioxan-5-yl)methyl acrylate Result: 28

Ethyl 4-dimethylaminobenzoate OECD 301B, Not readily biodegradable

Result: 40

HEXAMETHYLENE DIACRYLATE (HDDA) 60 - 70 % OECD 310

PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE Result: Inherently biodegradable

12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

(5-Ethyl-1,3-dioxan-5-yl)methyl acrylate > 1.9

HEXAMETHYLENE DIACRYLATE (HDDA) 2.81, Log Kow

Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide

PROPOXYLATED NEOPENTYL GLYCOL DIACRYLATE 2.41 - 3.87, Log Kow

Trimethylolpropane triacrylate > 3.3

Bioconcentration factor (BCF)

Material name: UVgel 460 ink Magenta

DI(TRIMETHYLOLPROPANE) TETRAACRYLATE 388 % v/w Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide < 5

12.4. Mobility in soil No data available.

Adsorption

Soil/Sediment Sorption - Log Koc

Result: 2,8 Ethyl 4-dimethylaminobenzoate HEXAMETHYLENE DIACRYLATE (HDDA) 2.1 Phenylbis(2,4,6-trimethylbenzoyl) phosphine-oxide 3.85 Trimethylolpropane triacrylate 2.24

12.5. Results of PBT and vPvB Not a PBT or vPvB substance or mixture.

assessment

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation 12.6. Other adverse effects potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Disposal Considerations: EU waste codes

16 02 13* - discarded equipment containing hazardous components other than those mentioned in

16 02 09 to 16 02 12

EU waste code

08 03 12* waste ink containing hazardous substances

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautionsDispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

name (((5-Ethyl-1,3-dioxan-5-yl)methyl acrylate, Trimethylolpropane triacrylate)

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Hazard No. (ADR) 90
Tunnel restriction code E
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((5-Ethyl-1,3-dioxan-5-yl)methyl acrylate, Trimethylolpropane triacrylate)

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((5-Ethyl-1,3-dioxan-5-yl)methyl acrylate, Trimethylolpropane triacrylate)

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. UN number UN3082

14.2. UN proper shipping Environmentally hazardous substance, liquid, n.o.s. ((5-Ethyl-1,3-dioxan-5-yl)methyl acrylate,

name TRIMETHYLOLPROPANE TRIACRYLATE)

14.3. Transport hazard class(es)

Class 9 Subsidiary risk -

Material name: UVgel 460 ink Magenta
1965C039AA Version #: 1.3 Revision date: 27-September-2019 Issue date: 21-March-2019

14.4. Packing group III
14.5. Environmental hazards Yes
ERG Code 9L

14.6. Special precautions

for user

name

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

Passenger and d

Other information

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

14.1. UN number UN3082

14.2. UN proper shipping

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((5-Ethyl-1,3-dioxan-5-yl)methyl acrylate, TRIMETHYLOLPROPANE TRIACRYLATE), MARINE

POLLUTANT

Not established.

14.3. Transport hazard class(es)

Class 9
Subsidiary risk 14.4. Packing group III
14.5. Environmental hazards

Marine pollutant Ye

Marine pollutant Yes EmS F-A, S-F

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

ADN; ADR; IATA; IMDG; RID



Marine pollutant



General information IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Material name: UVgel 460 ink Magenta

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

The classification for health and environmental hazards is derived by a combination of calculation

(EC) No 1907/2006, as amended.

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as **National regulations**

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Not available. List of abbreviations Not available. References

Information on evaluation method leading to the

classification of mixture

Full text of any H-statements

not written out in full under Sections 2 to 15

Revision information

Disclaimer

H315 Causes skin irritation.

methods and test data, if available.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life. This document has undergone significant changes and should be reviewed in its entirety.

Training information Follow training instructions when handling this material.

The information in this Safety Data Sheet is based on the present state of knowledge and current legislation and is believed to be accurate. It provides guidance on health, safety and environmental aspects of the product and should neither be construed as any guarantee of specific properties nor of technical performance or suitability for particular applications. The product should not be used

for purposes other than those shown in Section 1. This document was prepared to the

requirements of the jurisdiction in Section 1 and may not meet regulatory requirements in other countries or territories. The information contained in this safety data sheet does not replace the user's own assessment of workplace risks, as required by applicable health and safety legislation.

Material name: UVgel 460 ink Magenta

SDS LIK