

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)

SAFETY DATA SHEET

P2V YELLOW

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product no. 1320547 P2V YELLOW **Product name**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Printing inks, coatings, toners, and related materials

Uses advised against: Not Available

1.3 Details of the supplier of the safety data sheet

INX International Ink Co. 150 N Martingale Rd, Suite 700 Schaumburg Illinois 60173

United States

e-mail address of person MSDS@inxintl.com

responsible for this SDS

1.4 Emergency telephone number

24 Hour Emergency Phone 800.535.5053 INFOTRAC 24 Hour Spill and Emergency (+1 352

323 3500 outside of North America)

National advisory body/Poison Center

Telephone number Not available. Hours of operation Not available. **Information limitations** Not available.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319 Skin Sens. 1, H317

P2V YELLOW Page: 2/18

Repr. 2, H361f (Fertility) Repr. 2, H361d (Unborn child)

STOT SE 3, H335 STOT RE 2, H373 Aquatic Chronic 2, H411

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown toxicity Percentage of the mixture consisting of ingredient(s) of unknown

toxicity: 2.3 %

Ingredients of unknown

ecotoxicity

Percentage of the mixture consisting of ingredient(s) of unknown

hazards to the aquatic environment: 48.5 %

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification Xi, R36/37/38

> R43 R52/53

Physical/chemical hazards Not applicable.

Human health hazards Irritating to eyes, respiratory system and skin. May cause

sensitization by skin contact.

Environmental hazards Harmful to aquatic organisms, may cause long-term adverse effects

in the aquatic environment.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms







Signal word Warning

Hazard statements Causes serious eye irritation.

Causes skin irritation.

May cause an allergic skin reaction.

Suspected of damaging fertility. Suspected of damaging the unborn

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated

exposure.

Toxic to aquatic life with long lasting effects.

Precautionary statements

General Read label before use.

Prevention Obtain special instructions before use. Wear protective gloves. Wear

> eye or face protection. Avoid release to the environment. Do not breathe vapor.

Response IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Call a POISON CENTER or

physician if you feel unwell.

Storage Store locked up.

Disposal Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Date of issue/Date of revision: 07.05.2015 Version: 2.12 Date of previous issue: 26.02.2015 Hazard symbol or symbols

×

Indication of danger

: Irritant

Risk phrases

: R36/37/38 - Irritating to eyes, respiratory system and skin.

R43 - May cause sensitization by skin contact.

R52/53 - Harmful to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

Safety phrases

S2 - Keep out of the reach of children.

S24 - Avoid contact with skin.

S37 - Wear suitable gloves.

S46 - If swallowed, seek medical advice immediately and show this

container or label.

Hazardous ingredients

: hexamethylene diacrylate

exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate

1-vinylhexahydro-2H-azepin-2-one

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Supplemental label elements

Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures

Not applicable.

and articles

Special packaging requirements

Containers to be fitted with child-resistant fastenings Tactile warning of danger

Not applicable.

: Yes, applicable.

2.3 Other hazards

Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

Not applicable.

Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Not applicable.

Other hazards which do not result in classification

None known.

SECTION 3: Composition/information on ingredients

3.1 Substances : Not applicable

3.2 Mixtures : Mixture

			Class	<u>ification</u>	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
hexamethylene diacrylate	EC:235-921-9 Index:607-109- 00-8	>=20 - <25	R43 xi; R36/38	Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319 Skin Sens. 1, H317	[1][2]
exo-1,7,7- trimethylbicyclo[2.2.1]hept- 2-yl acrylate	EC:227-561-6 Index:	>=20 - <25	Xi; R36/37/38 N; R51/53	Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Chronic 2, H411	[1]
2-phenoxyethyl acrylate	EC:256-360-6 Index:	>=15 - <20	Xi; R36/38 R43	Skin Sens. 1, H317 Aquatic Chronic 2, H411	[1]
Amine Modified Acrylate Oligomer	EC:	>=15 - <20	Xi; R36/38	Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319	[1]
1-vinylhexahydro-2H- azepin-2-one	EC:218-787-6 CAS: 2235-00-9 Index:	>=7 - <10	Xn; R21/22 R36	Acute Tox. 4, H302 (oral) Acute Tox. 4, H312 (dermal) Eye Dam./Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 1, H372 (liver, respiratory tract)	[1]
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	EC:278-355-8 Index:	>=3 - <5	Not classified.	Repr. 2, H361f Repr. 2, H361d Aquatic Chronic 3, H412	[1]
Poly[oxy(methyl-1,2- ethanediyl)], .alpha.,.alpha.'- (2,2-dimethyl-1,3- propanediyl)bis[.omega[(1- oxo-2-propenyl)oxy]-	EC:617-546-6 Index:	>=3 - <5	R43 Xi; R36/38	Skin Sens. 1, H317 Aquatic Chronic 2, H411	[1]
Polymer Dispersant	-	>=1 - <2	Not classified.	Eye Dam./Irrit. 2, H319	[1]
benzophenone	EC:204-337-6 CAS:119-61-9 Index:	>=0.2 - <1	N; R51/53	Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	[1][2]
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha."-1,2,3-propanetriyltris[.omega[(1-oxo-2-propenyl)oxy]-	EC:500-114-5 Index:	>=0.2 - <1	Not classified.	Eye Dam./Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400	[1]

<u>Type</u>

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

See Section 16 for the full text of the R phrases or H statements declared above.

There are no additional ingredients present which, within the current know applicable, are classified as hazardous to health or the environment and

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortal

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occur personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Skin contact

Ingestion

Protection of first-aiders

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation : May cause respiratory irritation. Exposure to decomposition products

may cause a health hazard. Serious effects may be delayed following

exposure.

Skin contact: Causes skin irritation. May cause an allergic skin reaction.

Ingestion : Irritating to mouth, throat and stomach.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

reduced fetal weight increase in fetal deaths skeletal malformations

Skin contact : Adverse symptoms may include the following:

irritation redness

reduced fetal weight increase in fetal deaths skeletal malformations

Ingestion : Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or

Hazardous thermal decomposition products

drain.

: Decomposition products may include the following materials: carbon dioxide

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides phosphorus oxides metal oxide/oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and selfcontai operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves basic level of

protection for chemical incidents.

Additional information

Not available.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note o materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

6.3 Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. in container for

disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The for any available use-specific information provided in the Exposure Scena

7.1 Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Seveso II Directive - Reporting thresholds

Danger criteria

Category	Notification and MAPP threshold	Safety report threshold
E2: Hazardous to the aquatic environment - Chronic 2	200 kg	500 kg

7.3 Specific end use(s)

Recommendations : Not available. **Industrial sector specific** : Not available.

solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
hexamethylene diacrylate	AIHA WEEL (1999-01-01) Notes: AIHA dermal sensitization Time Weighted Average (TWA) 1 mg/m3 MAK-Werte Liste (2002-07-01) Notes: Danger of sensitization of the skin See Section IV: Sensitizing substances
benzophenone	AIHA WEEL (2003-01-01) Time Weighted Average (TWA) 0.5 mg/m3 NIOSH REL (2005-09-30)

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNEL/DMEL Summary

: Not available.

PNEC Summary

Not available.

8.2 Exposure controls

Appropriate engineering controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process e controls to keep worker exposure to airborne contaminants below any recom

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be

used when a r exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical

splash goggles.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved

standard products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check duri protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately

estimated.

Body protection : Personal protective equipment for the body should be selected based

on the be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures

should be involved and should be approved by a specialist before

handling this prod

Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying

with is necessary. Respirator selection must be based on known or

anticipated exposure levels of the selected respirator.

Environmental exposure controls: Emissions from ventilation or work process equipment should be

checked to ensure they comply with the requirements of

environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be

necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : liquid Color : Yellow.

Odor : Not available.
Odor threshold : Not available.
PH : Not available.
Melting point/freezing point : Not available.
Initial boiling point and boiling : Not available.

range

Flash point : $100 \, ^{\circ}\text{C}$

Evaporation rate : Not available. **Flammability (solid, gas)** : Not available.

Upper/lower flammability or explosive limits : Lower: Not available. Upper: Not available.

Vapor pressure : Not available.

Vapor density Not available.

Relative density 1.02

Solubility(ies) Not available. Partition coefficient: n-Not available.

octanol/water

Auto-ignition temperature Not available. **Decomposition temperature** Not available.

Viscosity **Dynamic:** Not available.

Kinematic: Not available.

Explosive properties Not available. **Oxidizing properties** Not available.

9.2 Other information

Volatile. 0.62 %(m) Weight %

0.64 %(V) Volume %

VOC % 0.02 %(m) Weight %

0.02 %(V) Volume %

Coating VOC 0 lb/gal 0 g/l

SECTION 10: Stability and reactivity

10.1 Reactivity No specific test data related to reactivity available for this product or

its ingredients.

10.2 Chemical stability The product is stable.

10.3 Possibility of hazardous Under normal conditions of storage and use, hazardous reactions

will not occur.

10.4 Conditions to avoid No specific data.

10.5 Incompatible materials No specific data.

10.6 Hazardous decomposition Under normal conditions of storage and use, hazardous products

decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

reactions

Product/ingredient name	Result	Species	Dose	Exposure
Diacrylate Monomer				
	LD50 Oral	Rat	5,000 mg/kg	-
Multi-functional Monomer				
	LD50 Oral	Rat	4,890 mg/kg	-
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Monofunctional Monomer				
Amine Modified Acrylate Oligomer				
1-Vinylhexahydro-2H-azepi	n-2-one			

Photoinitiator				
	LD50 Oral	Rat	5,000 mg/kg	-
Diacrylate Oligomer				
Polymer Dispersant				
Benzophenone				
	LD50 Dermal	Rabbit	3,535 mg/kg	-
Triacrylate Monomer				

Conclusion/Summary : Not available.

Acute toxicity estimates

Not available.

Irritation/Corrosion

Conclusion/Summary

Skin: Not available.Eyes: Not available.Respiratory: Not available.

Sensitization

Conclusion/Summary

Skin: Not available.Respiratory: Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
exo-1,7,7- trimethylbicyclo[2.2.1]hept-2-yl	Category 3		Respiratory tract irritation
acrylate			

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
1-vinylhexahydro-2H-azepin-2-			
one			

Aspiration hazard

Not available.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 P2V YELLOW Page: 13/18

Information on the likely routes

of exposure

Not available.

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation : May cause respiratory irritation. Exposure to decomposition

products may cause a health hazard. Serious effects may be delayed

following exposure.

Skin contact : Causes skin irritation. May cause an allergic skin reaction.

Ingestion: Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

reduced fetal weight increase in fetal deaths skeletal malformations

Skin contact : Adverse symptoms may include the following:

irritation redness

reduced fetal weight increase in fetal deaths skeletal malformations

Ingestion : Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects: Not available.Potential delayed effects: Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Not available.

General : May cause damage to organs through prolonged or repeated

exposure. Once sensitized, a severe allergic reaction may occur

when subsequently exposed to very low levels.

Carcinogenicity: No known significant effects or critical hazards.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 P2V YELLOW Page: 14/18

Mutagenicity No known significant effects or critical hazards. **Teratogenicity** Suspected of damaging the unborn child. No known significant effects or critical hazards.

Developmental effects

Fertility effects Suspected of damaging fertility.

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary Not available.

12.2 Persistence and degradability

Conclusion/Summary Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
benzophenone		•	low

12.4 Mobility in soil

Soil/water partition coefficient Not available.

(KOC)

Mobility Not available.

12.5 Results of PBT and vPvB assessment

PBT P: Not available.

B: Not available. T: Not available.

vPvB vP: Not available.

vB: Not available.

12.6 Other adverse effects No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The for any available use-specific information provided in the Exposure Scena

13.1 Waste treatment methods

Product

Methods of disposal The generation of waste should be avoided or minimized wherever

possible. Disposal of this product, solutions and any by-products should at all time protection and waste disposal legislation and any regional local authorit Dispose of surplus and non-recyclable

Date of issue/Date of revision: 07.05.2015 Date of previous issue: 26.02.2015 Version: 2.12

products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compli

jurisdiction.

Hazardous waste : The classification of the product may meet the criteria for a

hazardous waste.

Packaging

Methods of disposal : The generation of wa

The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

Regulatory information	Proper shipping name	UN - Number	Hazard classification	Packing group	Additional information
TDG Class	Not Restricted.			-	
Mexico Classification	Not Restricted.			=	
DOT (U.S.A.)	Not Restricted.			-	
(Pictograms)					
IMDG	Environmentally Hazardous Substance, Liquid, n.o.s. (Acrylates)	UN3082	9	Ш	
IATA	Environmentally Hazardous Substance, Liquid, n.o.s. (Acrylates)	UN3082	9	Ш	
ADR	Environmentally Hazardous Substance, Liquid, n.o.s. (Acrylates)	UN3082	9	Ш	
ADN		UN3082	9	Ш	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV: None of the components are listed.

Substances of very high concern:

Other EU regulations

Europe inventory

Not determined. Not determined.

Integrated pollution prevention and control list (IPPC) - Air **Integrated pollution prevention** and control list (IPPC) - Water

Not listed

Not listed

Not applicable.

Aerosol dispensers

Seveso II Directive

This product is controlled under the Seveso II Directive.

Danger criteria

Category

E2: Hazardous to the aquatic environment - Chronic 2

National regulations

References GHS classifications, symbols, and statements valid; legacy

characterisations for conditional use only

International regulations

Chemical Weapons Convention

List Schedule I Chemicals

Chemical Weapons Convention

List Schedule II Chemicals

Chemical Weapons Convention

List Schedule III Chemicals

Not listed

Not listed

Not listed

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety

Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

Key literature references and

sources for data

GHS classifications, symbols, and statements valid; legacy

characterisations for conditional use only

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification Justification

Date of issue/Date of revision: 07.05.2015 Date of previous issue: 26.02.2015 Version: 2.12

Skin Corr./Irrit. 2, H315	Calculation method
Eye Dam./Irrit. 2, H319	Calculation method
Skin Sens. 1, H317	Calculation method
Repr. 2, H361f (Fertility)	Calculation method
Repr. 2, H361d (Unborn child)	Calculation method
STOT SE 3, H335	Calculation method
STOT RE 2, H373	Calculation method
Aquatic Chronic 2, H411	Calculation method

Full text of abbreviated H statements

H302 (oral)	Harmful if swallowed.
H312 (dermal)	Harmful in contact with skin.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H351	Suspected of causing cancer.
H319	Causes serious eye irritation.
H361fd (Fertility, Unborn	Suspected of damaging fertility.
child)	Suspected of damaging the
	unborn child.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H372	Causes damage to organs through prolonged or repeated exposure.
Н373	May cause damage to organs through prolonged or repeated exposure.
Н335	May cause respiratory irritation.

Full text of classifications [CLP/GHS]

Acute Tox. 4, H302	ACUTE TOXICITY (oral) -
	Category 4
Acute Tox. 4, H312	ACUTE TOXICITY (dermal) -
	Category 4
Aquatic Acute 1, H400	AQUATIC HAZARD (ACUTE)
_	- Category 1
Aquatic Chronic 1, H410	AQUATIC HAZARD (LONG-
_	TERM) - Category 1
Aquatic Chronic 2, H411	AQUATIC HAZARD (LONG-
	TERM) - Category 2
Aquatic Chronic 3, H412	AQUATIC HAZARD (LONG-
	TERM) - Category 3
Carc. 2, H351	CARCINOGENICITY -
	Category 2
Eye Dam./Irrit. 2, H319	SERIOUS EYE DAMAGE/
	EYE IRRITATION - Category 2
Repr. 2, H361fd (Fertility,	TOXIC TO REPRODUCTION
Unborn child)	(Fertility, Unborn child) -
	Category 2

Skin Corr./Irrit. 2, H315	SKIN
,	CORROSION/IRRITATION -
	Category 2
Skin Sens. 1, H317	SKIN SENSITIZATION -
	Category 1
STOT RE 1, H372	SPECIFIC TARGET ORGAN
	TOXICITY (REPEATED
	EXPOSURE) - Category 1
STOT RE 2, H373	SPECIFIC TARGET ORGAN
	TOXICITY (REPEATED
	EXPOSURE) - Category 2
STOT SE 3, H335	SPECIFIC TARGET ORGAN
	TOXICITY (SINGLE
	EXPOSURE) - Category 3

Full text of abbreviated R phrases

R21/22- Harmful in contact with skin and if swallowed.

R36- Irritating to eyes.

R36/38- Irritating to eyes and skin.

R36/37/38- Irritating to eyes, respiratory system and skin.

R43- May cause sensitization by skin contact.

R51/53- Toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

R52/53- Harmful to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

Full text of classifications [DSD/DPD]

Xn - Harmful

Xi - Irritant

N - Dangerous for the environment.

Date of printing: 04.06.2015Date of issue/ Date of revision: 07.05.2015Date of previous issue: 26.02.2015Version: 2.12

Notice to reader

To the best of our knowledge, the information contained herein is accurate its subsidiaries, assumes any liability whatsoever for the accuracy or co determination of suitability of any material is the sole responsibility o should be used with caution. Although certain hazards are described herei that exist.